	Application No.	Applicant(s)	Me
Notice of Allowability	09/994,602	SHIBATA ET AL.	
	Examiner	Art Unit	
	Sumati Krishnan	2875	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to 9/17/2003. 2. The allowed claim(s) is/are 1,2,4,5,7-9,11-13,15,16 and 19	(OR REMAINS) CLOSED in or other appropriate comm GHTS . This application is and MPEP 1308.	n this application. If not include unication will be mailed in due o	d course. THIS
3. The drawings filed on <u>17 September 2003</u> are accepted by the Examiner.			
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 			
1. ☑ Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
 (a) ☐ The translation of the foreign language provisional application has been received. 6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included 			
in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 8. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No 		w (PTO-948) attached	
(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).			
9. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT FOR T	sit of BIOLOGICAL MAT HE DEPOSIT OF BIOLOG	ERIAL must be submitted. NICAL MATERIAL.	ote the
Attachm nt(s)			
1☐ Notice of References Cited (PTO-892)	5☐ Notice of Inf	ormal Patent Application (PTO-	152)
2☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	6∐ Interview Su	ımmary (PTO-413), Paper No	·
	3), 7∏ Examiner's	Amendment/Comment	
Paper No 4 Examiner's Comment Regarding Requirement for Deposit	_	Statement of Reasons for Allow	ance
of Biological Material	9☐ Other		J.,00
Č	- -		

Ĺ

Application/Control Number: 09/994,602

Art Unit: 2875

DETAILED ACTION

Allowable Subject Matter

Claims 1-2,4-5,7-9,11-13,15-16, and 19-32 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claims 1,5,8,12 and 15, the prior art of record neither shows nor suggests a spark plug as claimed comprising said ground electrode tip protruding toward the center electrode in the amount claimed, in combination with said center electrode tip having a cross sectional area in a range as claimed in combination with said ground electrode having a cross sectional area in a range as claimed.

Regarding claims 4,7,11,and 25-27, the prior art of record neither shows nor suggests a spark plug wherein:

a point 'A' of said ground electrode tip closest to said center electrode tip is expressed by a coordinate value (-b/2, x,) when a point 'B' on the apical surface of said center electrode tip closest to said ground electrode is expressed by a coordinate value (-b, 0), where x represents a discharge gap, and

an axial deviation amount between the axis of said center electrode tip and the axis of said ground electrode tip is within (+/-)d/2 in a direction normal to said coordinate plane, and a swing amount of said closest point 'A' is within (+-) d/2 mm in a direction parallel to said X axis, where 'd' represents a diameter of said ground electrode tip.

Art Unit: 2875

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sumati Krishnan whose telephone number is 703-305-7906. The examiner can normally be reached on 8:00 am - 4:30 pm..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 703-305-4939. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

SK

Sandra O'Shea
Supervisory Patent Examiner

Technology Center 2800